




**POWERSTAR**



# **VIENNA SERIES PS-TLXXWGL45**


**WATTAGE ADJUSTABLE FROM 20W-40W**

**SYSTEM EFFICIENCY UP TO 120lm/W**

**GRID OPTICS WITH LOW GLARE FOR EYES COMFORT**

# PRODUCT DATASHEET

## Vienna Series Track Linear Light XXW



### Areas of application

- Supermarket, Shopping Mall
- Retail Store
- Fashion Store
- Car Shop, Office, Meeting Room

### Product features

- 355° horizontal & 180° vertical flexible rotation
- Quality lens to provide clean & uniform lighting
- Professional SMD LEDs with carefully selected batch SDCM<3
- Aluminum housing with convective holes for better heat dissipation

### Product benefits

- Employs a high PF flicker-free power supply
- Easy and quick installation with multiple track adapters
- Elegant and compact design
- Compliant with CE/CB/RoHS/SAA/ENEC certificates

Specification	
Power	20/30/40W
LED	Lumileds/Osram SMD 2835/3030
Driver	Osram / Tridonic /Global / KGP
Input Voltage	AC220-240V, 50/60Hz
CCT	2700/3000/3500/4000/5000K
CRI	83/92Ra
SDCM	<3
Beam Angle	30°/50°/80°/ 30x70°/120°
Track Adapter	1 Phase / 3 Phase
System Efficacy	100-120 lm/W
Housing Material	Aluminum
Housing Size	L566*W45*H114mm
Colour Of Housing	White/Black
PF	>0.9
THD	<15%
Dimmable	On-off / 0-10V / Triac / Dali

## Optics



PC - 120° beam





Lens+Reflector - 30°/50°/80°/ 30x70° beam

# PRODUCT DATASHEET

## Vienna Series Track Linear Light XXW

### Installation



### Installation instructions:

**Electrical connection must only be carried out by skilled, trained and authorized persons.**

- Before installation, please ensure the main power is off.
- Be sure that the local power outlet matches that of the required voltage for this unit.
- Always mount this unit in safe and stable matter.
- Do not remove the cover under any conditions. There are no user serviceable parts inside.
- This unit is intended for indoor use only, use of this product outdoors, would void all warranties.