



POWERSTAR



VIENNA SERIES

PS-TL(LL)40WL45


WATTAGE ADJUSTABLE FROM 20W-40W

SYSTEM EFFICIENCY UP TO 120lm/W

QUALITY LENS DESIGN WITH SOFT LIGHT DISTRIBUTION

PRODUCT DATASHEET

Vienna Series Track Linear Light 20/25/30/35/40W



Areas of application

- Supermarket, Shopping Mall
- Retail Store
- Fashion Store
- Car Shop, Office, Meeting Room

Product features

- 355° horizontal rotation for the track adapter
- Quality ledil lens to provide uniform lighting
- Professional SMD LEDs with carefully selected batch SDCM<3
- Aluminum housing with convective holes for better heat dissipation

Product benefits

- Employs a high PF flicker-free power supply
- Easy and quick installation with multiple track adapters
- Elegant and compact design
- Compliant with CE/CB/RoHS /SAI/ ENEC certificates

Specification	
Power	20/25/30/35/40W
LED	Lumileds SMD 2835
Driver	BOKE
CCT	2700/3000/4000/5000K
CRI	80/90Ra
SDCM	<3
Beam Angle	60×90°/90×90°
Track Adapter	3-Circuit Powergear /Global
System Efficacy	110-120lm/W
Housing Material	Aluminum
Housing Size	L571*W45*H132mm
Colour of Housing	Matt White(9010)/Matt Black(9011)
PF	>0.9
THD	<15
Dimmable	On-off, Wattage Adjustable
QTY(PCS/Carton)	10PCS
Carton Size(cm)	63.5cm*36.5cm*34.5cm
N.W./G.W.(KG/Carton)	17KG/20KG

Switch Specification


Power(W)	Switch			
	1	2	3	4
20	—	—	—	ON
25	—	—	ON	—
30	—	ON	—	—
35	ON	—	—	—
40	—	—	—	—



PRODUCT DATASHEET

Vienna Series Track Linear Light 20/25/30/35/40W

Installation



Installation instructions:

Electrical connection must only be carried out by skilled, trained and authorized persons.

- Before installation, please ensure the main power is off.
- Be sure that the local power outlet matches that of the required voltage for this unit.
- Always mount this unit in safe and stable matter.
- Do not remove the cover under any conditions. There are no user serviceable parts inside.
- This unit is intended for indoor use only, use of this product outdoors, would void all warranties.