



**POWERSTAR**



# **PEKING SERIES**

## **PS-TL20/25WA83Z**


**INTEGRATED DRIVER DESIGN**

**PREMIUM COB LED WITH SDCM<3**

**QUALITY OPTICS DESIGN WITH UGR<15**

# PRODUCT DATASHEET

## Peking Series Track Light 20/25W



### Areas of application

- Supermarket , shopping Mall
- Retail Store
- Meeting Room

### Product features

- Integrated driver solution with better heat dissipation
- Ledil Zoomble 10°-60°
- Professional COB LED with carefully selected batch SDCM<3
- Anti-glare design with UGR<15, eyes protection

### Product benefits

- Employs a high PF flicker-free power supply
- Easy and quick installation with multiple track adapters
- Elegant and compact design
- Compliant with CE/CB/RoHS/SAA /ENEC certificates


Specification	
Power	20/25W
LED	Citizen/Luminus/Bridgelux/Cree
Driver	Osram/Tridonic/Archi
Input Voltage	AC220-240V, 50/60Hz
CCT	2700/3000/3500/4000/5000/5700K
CRI	80/90Ra(97Ra Optional)
SDCM	<3
Beam Angle	10° - 60°
UGR	<15
Track Adapter	3-Circuit Powergear /Global
System Efficacy	80-90lm/W
Housing Material	Aluminum
Housing Size	D83*H156mm
Colour Of Housing	Matt White(9010)/Matt Black(9011)
PF	>0.9
THD	<15%
Dimmable	On-off/0-10V/Triac/Dali/BLE
QTY(PCS/Carton)	12PCS
Carton Size(cm)	42cm*32cm*31cm
N.W./G.W.(KG/Carton)	15.6KG/16KG



# PRODUCT DATASHEET

## Peking Series Track Light 20/25W

### Installation



### Installation instructions:

Electrical connection must only be carried out by skilled, trained and authorized persons.

- Before installation, please ensure the main power is off.
- Be sure that the local power outlet matches that of the required voltage for this unit.
- Always mount this unit in safe and stable matter.
- Do not remove the cover under any conditions. There are no user serviceable parts inside.
- This unit is intended for indoor use only, use of this product outdoors, would void all warranties.