



POWERSTAR



HIMA SERIES

PS-TL25/30A92Z


15-60° ZOOMABLE SOLUTION

PREMIUM COB CHIP WITH SDCM<3

HIGH-END ANTI-GLARE LENS WITH LOW UGR

PRODUCT DATASHEET

Hima Series Track Light 25/30W



Areas of application

- Museum & Art Gallery
- Commercial Center
- Car Shop, Office, Meeting Room
- Supermarket, Shopping mall, Fashion Store

Product features

- Build-in driver design, Simple and elegant
- Uniform light distribution with 15-60° beam angle adjustable
- Professional COB LED with carefully selected batch SDCM<3
- Anti-glare design with UGR<19, eyes protection

Product benefits


- Employs a high PF flicker-free power supply
- Easy and quick installation with multiple track adapters
- Elegant and compact design
- Compliant with CE/CB/RoHS/SAA/ENEC certificates

Specification	
Power	25W/30W
LED	Citizen/Luminus/Bridgelux COB
Driver	Osram/Tridonic/Archi
CCT	2700/3000/3500/4000/5000K
CRI	80/90Ra(97Ra Optional)
SDCM	<3
Beam Angle	15-60°
UGR	<19
Track Adapter	3-Circuit Powergear/Global
System Efficacy	80-90lm/W
Housing Material	Aluminum
Housing Size	D92*H205mm
Colour of Housing	Matt White(9010)/Matt Black(9011)
PF	>0.9
THD	<15
Dimmable	On-off/0-10V/Triac/Dali/BLE
QTY(PCS/Carton)	12PCS
Carton Size(cm)	43cm*32cm*31cm
N.W./G.W.(KG/Carton)	16/18KG

PRODUCT DATASHEET

Hima Series Track Light 25/30W

Installation



Installation instructions:

Electrical connection must only be carried out by skilled, trained and authorized persons.

- Before installation, please ensure the main power is off.
- Be sure that the local power outlet matches that of the required voltage for this unit.
- Always mount this unit in safe and stable matter.
- Do not remove the cover under any conditions. There are no user serviceable parts inside.
- This unit is intended for indoor use only, use of this product outdoors, would void all warranties.